



Green Lab Analysis & Research Centre Pvt. Ltd.

A-74, Naraina Industrial Area, Phase-I, New Delhi-110028
Tel.: 011-42240220 E-mail : info@glarc.in Website: www.glarc.in

TEST REPORT

Govt. Approved Testing Lab

TEST REPORT



Sample / Report No.	: GLARC/WT-2506170102	Sample Name	: Drinking Water
Name and Address of Customer	: Shanti Gyan Niketan Sr. Sec. Public School Goyla Khurd Near , Sector-19, Dwarka New Delhi-71 Delhi		
Date of Receiving	: 17/06/2025	Start Date of Analysis	: 17/06/2025
Sample Collected By	: Lab Representative Kishan Kumar	End of Analysis	: 23/06/2025
Condition of sample on receipt	: OK	Report Issue Date	: 23/06/2025
Sampling Method	: N.S	Sample Quantity	: 1.0 L
Any Other Information	: N.S	Sample Pkg	: Sterilized Pet Bottle

TEST RESULTS						
Sl. No.	Parameters	Units	Result	IS:10500-2012		Test Method
				Acceptable Limits	Permissible Limits	
Chemical Parameters						
1	Colour	Hazen	3.0	5.0 Max.	15.0Max.	IS:3025 (P-4)
2	Odour	NA	Agreeable	Agreeable	Agreeable	IS:3025 (P-5)
3	Taste	NA	Agreeable	Agreeable	Agreeable	IS:3025 (P-7 & 8)
4	Turbidity	NTU	<1.0	1.0 Max.	5.0 Max.	IS:3025 (P-10)
5	pH	NA	7.26	6.5 to 8.5	--	IS:3025 (P-11)
6	Total Dissolved Solids	mg/L	93	500.0 Max.	2000.0 Max.	IS:3025 (P-16)
7	Total Hardness (as CaCO3)	mg/L	36.87	200.0 Max.	600.0 Max.	IS:3025 (P-21)
8	Calcium (as Ca)	mg/L	12.14	75.0 Max.	200.0 Max.	IS:3025 (P-40)
9	Magnesium (as Mg)	mg/L	14.24	30.0 Max.	100.0 Max.	IS:3025 (P-46)
10	Chloride (as Cl)	mg/L	23.58	250.0 Max.	1000.0 Max.	IS:3025 (P-32)
11	Sulphate (as SO4)	mg/L	5.67	200.0 Max.	400.0 Max.	IS:3025 (P-24)
12	Iron (as Fe)	mg/L	0.02	0.3 Max.	--	IS:3025 (P-53)
13	Free residual chlorine (as Cl2)	mg/L	Not Detected	0.2 Max.	1.0 Max.	IS:3025 (P-26)
Microbiological Parameters						
1	E.Coli	Per 100 ml	Absent	Absent	Absent	IS:15185 : 2016
2	Total Coliform	Per 100 ml	Absent	Absent	Absent	IS:15185 : 2016

Remarks: The sample confirm as per IS 10500 : 2012 for acceptable limit w.r.t above test parameter only.

Dr. Pradeep Kumar

Authorized Signatory

- The results listed refer only to tested samples and applicable parameters. Endorsement of product in neither inferred nor implied.
- Test certificate in full or part shall not be used for promotional or publicity purpose & cannot be used as an evidence in the court of law.
- The Sample of Drugs & Cosmetics will be destroyed after one year and other sample will be destroyed with in a month from the date of issuing certificate. Page No.1 of 1
- (In case of non-perishable products only)
- Total liability of our Analytical division is limited to the invoiced amount. • Sample (s) not drawn by us unless otherwise stated. • Results given in report are related to sample tested.